# Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042

New Home Construction Permit Application One and Two Family Residential Homes

Location							Permit #		
Owner							Date		
Address				City		State		Zip	
Phone					Email				
Parcel #							Zoning		
Contractor	<u>r</u>								
Address				City		State		Zip	
Phone					Email				
License #					Contact Person	1:			
						Projec	ct Descriptio	n:	
Housing Type	Single Family		wo mily	Square Footage		Í	Cost \$		
F	Project Detail			Fee Schedule		Ma	ke Check F	Payable	to:
0 to 2000	Sq. Ft.			\$350.00			Village of Mt	. Calvary	
2001-500	00 Sq Ft.			\$400.00					
5000 Sq. l				\$500.00			Applicatio		
Electrical					\$55.00	Witko	owski Inspcec	tion Agenc	y, LLc
Electrical					\$110.00	63	2 Fremont Str	eet Suite 1	.05
Plumbing					\$165.00		Kiel, WI	53042	
<b>HVAC Per</b>					\$110.00	_			_
State Peri					\$35.00		or Inspect		
Escrow		rnable uj	on occupancy		\$800.00	Witk	owski Inspect		, LLc
_	Mt. Calvary	_			\$100.00		Brian Wit		
	/ Culvert-Road A	Access		\$50.00	<b>***</b>		Office: 920-2		
Land Use					\$200.00		Cell: 920-9	12-0832	
Fire Num	ber Sign			\$75.00					
						Culv	ert Specs: 24	'min 22'	may
		Г	To	otal			Diameter - M		
	Additio	nal Per	mits May Be			10 111111	Diameter - M	ust be da	ivailizeu
Sanitary Pe	ermit - Fond du Lac								
		Г	Insp	ections Requi	red				
	Footing Foundation		Electrical Servic J-G Plumbing	ce		Erosion Con Rough-In**	trol		Insulation Final
		Doug	h In** includes: (	Construction: HVAC	Floatrical & Dl.	nhing Incocc	iona		D

# Village of Mt. Calvary

	Electrical- Plumbing	- HVAC Permit A	pplications
--	----------------------	-----------------	-------------

Electrical Permit:	Company				Phone #	
	New Service	ОН	UG		-	
	Service Change	ОН	UG	OH to UG		
	All Services	Volts/ Amps				
		Number of M	eters			
		Service Utilit	y	-		
		Phase				
	Remodel	Location of S	evice			
	Outbuilding					
	Alternative Energy Insta	llation				
ignature of icenced Electrician				License #		
lumbing Permit:	Company		<b>.</b> -		Phone #	G. 1
	_ Floor Drains		Sump Pu	-		Sinks
	_ Dishwasher		Hose Bib			Lav's
	_ Showers		Water So	ftner		Bath Tub
	Garbage Disposal Bar Connection		Other Other			Water Closets Laundry Box
O THE WISCONSIN ST	NSTALLATIONS AS PER WI ATUTE 145.06(1)(A), STATI	NG THAT PLUMBI	NG WORK MU	ST BE PERFORMED	BY A CONTRA	
O THE WISCONSIN STANASTER PLUMBER. The notes of the conditions of the the Department or Municians.	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the information.	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMED de and other Municipa liability, expressed or	BY A CONTRA l Ordinances implied	
O THE WISCONSIN STAMESTER PLUMBER. The conditions of the the conditions of the the Department or Municecution and of installation	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMED de and other Municipa liability, expressed or	BY A CONTRA l Ordinances implied	
O THE WISCONSIN STANDAMENTALIASTER PLUMBER. The seconditions of the seconditions of the department or Munical secution and of installation ignature of	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the information.	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMED de and other Municipa liability, expressed or	BY A CONTRA l Ordinances implied	
O THE WISCONSIN STA ASTER PLUMBER. The d with the conditions of the the Department or Munic ecution and of installation gnature of faster Plumber	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the inform of Plumbing as herein described	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMED de and other Municipa liability, expressed or	D BY A CONTRA I Ordinances I implied ermit for the	
O THE WISCONSIN STA ASTER PLUMBER. The d with the conditions of the the Department or Munic ecution and of installation gnature of faster Plumber	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the information.	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p	D BY A CONTRA I Ordinances implied ermit for the	CTING
O THE WISCONSIN STA ASTER PLUMBER. The d with the conditions of the the Department or Munic ecution and of installation gnature of aster Plumber	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with  his permit, understands that the  cipality, certifies that all the inform of Plumbing as herein described  Company	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p Fireplace or	D BY A CONTRA I Ordinances implied ermit for the License #	CTING
O THE WISCONSIN STA ASTER PLUMBER. The Id with the conditions of the the Department or Munic ecution and of installation ignature of laster Plumber	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with  his permit, understands that the  cipality, certifies that all the inform of Plumbing as herein described   Company  New Furnace  New Boiler	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p  Fireplace or  Replacemen	D BY A CONTRA l Ordinances implied ermit for the License # Phone # Wood Burner	CTING
O THE WISCONSIN STA ASTER PLUMBER. The Id with the conditions of the the Department or Munic ecution and of installation ignature of laster Plumber	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the inform of Plumbing as herein described  Company New Furnace New Boiler Unit Heater(s)	NG THAT PLUMBI th the Wisconsin Unifor issuance of the permit mation is accurate. I	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p Fireplace or	D BY A CONTRA l Ordinances implied ermit for the License # Phone # Wood Burner	CTING
O THE WISCONSIN STA ASTER PLUMBER. The d with the conditions of the the Department or Munic ecution and of installation gnature of faster Plumber	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with  his permit, understands that the  cipality, certifies that all the inform of Plumbing as herein described   Company  New Furnace  New Boiler	NG THAT PLUMBI th the Wisconsin Uniformation is accurate. It	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p  Fireplace or Replacemen Air Conditio	D BY A CONTRA l Ordinances implied ermit for the License # Phone # Wood Burner	CTING
O THE WISCONSIN STA ASTER PLUMBER. The d with the conditions of the the Department or Munice ecution and of installation gnature of aster Plumber	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the inform of Plumbing as herein described Company  New Furnace  New Boiler  Unit Heater(s)  Roof Top Unit(s)	th the Wisconsin Uniformation is accurate. In the wisconsin Uniformation is accurate.	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p  Fireplace or Replacemen Air Conditio Ventilation	D BY A CONTRA l Ordinances implied ermit for the License # Phone # Wood Burner	CTING
O THE WISCONSIN STA ASTER PLUMBER. The Add with the conditions of the Department or Municipal Control of the Installation of the Installation of the Installation of Installat	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the inform of Plumbing as herein described as herein described.  Company New Furnace New Boiler Unit Heater(s) Roof Top Unit(s) Addition to existing syst	th the Wisconsin Uniformation is accurate. In the wisconsin Uniformation is accurate.	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p  Fireplace or Replacemen Air Conditio Ventilation	D BY A CONTRA l Ordinances implied ermit for the License # Phone # Wood Burner	CTING
O THE WISCONSIN STA IASTER PLUMBER. The description of Work Type of Fue	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the inform of Plumbing as herein described as herein described.  Company New Furnace New Boiler Unit Heater(s) Roof Top Unit(s) Addition to existing syst	th the Wisconsin Uniformation is accurate. In the wisconsin Uniformation is accurate.	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p  Fireplace or Replacemen Air Conditio Ventilation	D BY A CONTRA l Ordinances implied ermit for the License # Phone # Wood Burner	CTING
O THE WISCONSIN STAMASTER PLUMBER. The MASTER PLUMBER. The new with the conditions of the properties of the department or Municipal states of Master Plumber  IVAC Permit  Description of Work  Type of Function Calculated	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the inform of Plumbing as herein described.  Company New Furnace New Boiler Unit Heater(s) Roof Top Unit(s) Addition to existing systeel	th the Wisconsin Uniformation is accurate. In the wisconsin Uniformation is accurate.	NG WORK MU rm Dwelling Coo creates no legal	ST BE PERFORMEI de and other Municipa liability, expressed or hereby applies for a p  Fireplace or Replacemen Air Conditio Ventilation	D BY A CONTRA l Ordinances implied ermit for the License # Phone # Wood Burner	CTING
O THE WISCONSIN STAMASTER PLUMBER. The MASTER PLUMBER. The not with the conditions of the properties of the Department or Municipal State of Master Plumber  WAC Permit  Description of Work  Type of Fundament of Work  Type of Fundament of Work  Calculated  Size of Unite the undersigned certifies the cereby agrees that such work	ATUTE 145.06(1)(A), STATI e applicant agrees to comply with his permit, understands that the cipality, certifies that all the inform of Plumbing as herein described as herein described.  Company New Furnace New Boiler Unit Heater(s) Roof Top Unit(s) Addition to existing systems.	th the Wisconsin Uniformation is accurate. In the Misconsin Uniformation is accurate. In the Misconsin Misconsin Uniformation is accurate. In the Misconsin	or a permit to do forth herein; and	ST BE PERFORMED de and other Municipa liability, expressed or hereby applies for a p  Fireplace or Replacemen Air Conditio Ventilation Other  Output o the work above described it is further agreed the	D BY A CONTRA I Ordinances implied ermit for the  License #  Phone #  Wood Burner It of Equipment Ining	t

# Village of Mt. Calvary

Eros	sion Control Application	
Owner's Name		
Address of Project		
City/ Village	State	Zip
Phone #	Email	
Contractor's Name		
Address		
City/ Village	State	Zip
Phone #	Email	
Type of Erosion Control to be Installed	Separate Site Plan Included	Yes No
Silt Fence Bales	Vegetation Erosion Mat _	
=	nereby agree to comply with SPS 321.125 & 321.126 of es building code viewable at dsps.wi.gov/sb/SB-DIVCoc	
Signature of Homeowner	Date	
or		
Signature of Contractor	Date	

# Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042

<b>New Home</b>	Construction	Required	<b>Checklist Items</b>
-----------------	--------------	----------	------------------------

### Village of Mt. Calvary Required Items

 Copy of Sanitary Permit
 Completed Wisconsin Uniform Building Permit- Online www.elsa.wi.gov
2 Sets of Building Plans showing all house dimensions
 Completed Energy Worksheet
 Completed Erosion Control Application
Completed Site Plan showing all Erosion Control
 Culvert Permit if Applicable
 Read and Sign the Village of Mt. Calvary Permit Attachment
 Read and Sign the Conditions of Approval Sheet
Site Plan for Village with all houses and garage dimensions

16 - 24' New Residential Driveway   Relocation of an Existing Driveway   Relocation of Spriveway   Relocation of Spriveway   Relocation of Spriveway   Relocation of Spriveway   Relocation   Rel			Culvert Permit Appli	cation- Village Roa	ıd
Relocation of Driveway you are applying for:  1. Name of the nearest intersection of Village, County, or State Roads:  2. Driveway location is approximately (Miles) (N, E, S, W) of said intersection  3. Looking both ways down the road, is vision clear for 600′(Feet) Yes No  4. This driveway will result in how many driveways serving this property?  ** Applicant shall place stakes in ditch line where he/she wants to place the driveway so the proposed location may be inspected and approved by the Village or Designees.  **Owner's Convenant**  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway contruction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12° inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuanc	Type of I	Oriveway being applied for:			
Location of Driveway you are applying for:  1. Name of the nearest intersection of Village, County, or State Roads:  2. Driveway location is approximately (Miles) (N.E.S.W) of said intersection  3. Looking both ways down the road, is vision clear for 600° (Feet) Yes No  4. This driveway will result in how many driveways serving this property?  **Applicant shall place stakes in ditch line where he/she wants to place the driveway so the proposed location may be inspected and approved by the Village or Designees.  **Owner's Convenant**  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the payement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the payement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 122 'inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the Issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the		16' - 24' Ne	w Residential Driveway		
1. Name of the nearest intersection of Village, County, or State Roads:  2. Driveway location is approximately (Miles) (N. E. S. W) of said intersection  3. Looking both ways down the road, is vision clear for 600′ [Feet) Yes No  4. This driveway will result in how many driveways serving this property?  **Applicant shall place stakes in ditch line where he/she wants to place the driveway so the proposed location may be inspected and approved by the Village or Designees.  **Owner's Convenant**  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new dri		Relocation	of an Existing Driveway		
2. Driveway location is approximately (Miles) (N, E, S, W) of said intersection 3. Looking both ways down the road, is vision clear for 600'( Feet) Yes No 4. This driveway will result in how many driveways serving this property?  **Applicant shall place stakes in ditch line where he/she wants to place the driveway so the proposed location may be inspected and approved by the Village or Designees.  **Owner's Convenant**  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway wirth-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway bying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such constructed to have permanently vegetated sloped sides, unless the road/ str	Location	of Driveway you are applying for:			
A. Looking both ways down the road, is vision clear for 600' (Feet)	1. Name	of the nearest intersection of Village, C	ounty, or State Roads:		
4. This driveway will result in how many driveways serving this property?  **Applicant shall place stakes in ditch line where he/she wants to place the driveway so the proposed location may be inspected and approved by the Village or Designees.  **Owner's Convenant**  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12° inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slope	2. Drivev	vay location is approximate <u>ly</u>	( Miles)	( N, E, S, W) of s	said intersection
**Applicant shall place stakes in ditch line where he/she wants to place the driveway so the proposed location may be inspected and approved by the Village or Designees.  **Owner's Convenant**  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slepped at no more than a length to height ratio of 2.5:1  All slopes shall be	3. Lookin	ng both ways down the road, is vision c	lear for 600'( Feet)	Ye	sNo
**Applicant shall place stakes in ditch line where he/she wants to place the driveway so the proposed location may be inspected and approved by the Village or Designees.  **Owner's Convenant**  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slepped at no more than a length to height ratio of 2.5:1  All slopes shall be	4. This di	riveway will result in how many drivey	vays serving this property?		
A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satisfication of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be sloped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all				e the driveway so the pr	roposed location
Owner's Convenant  A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I. hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and		-	· -	_	•
A. Any grading, special ditching, alteration of slope or any other disturbance of any portion of the road right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge. F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary. G. Driveway width is measured at the ditch line and is equal to the actual driveable width. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be sloped at no more than a length to height ratio of 2.5:1 All slopes shall be seed or sodded by the owner.  Length  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Length		may so moposed and	approved by the smage of	2 00. <b>B</b> 00.	
right-of-way shall be restored by and at the exspence of the applicant, to the condition existant prior to such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be sloped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I. hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  For Village Use Only					
such disturbance and to the satification of the Village Board or its designated appointee.  B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway (culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length	A.				
B. The entire cost of the driveway construction or installation shall be the obligation of the applicant.  C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be sloped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions		-			istant prior to
C. Applicant shall keep driveway/ culvert free of debris and obstructions to provide proper drainage along the road D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge. F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary. G. Driveway width is measured at the ditch line and is equal to the actual driveable width. H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit. J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1 All slopes shall be seed or sodded by the owner.  I. hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature	D				annligant
along the road  D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions				_	
D. Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions	C.		ert free of debris and obstru	ctions to provide proper	arainage
of the applicant  E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions	D		y on or over Village Road ric	tht-of-way chall he the re	senoneihility
E. Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature  Date  For Village Use Only  Culvert pipe required under drivew; YES NO Diameter Length  Length	υ.		y on or over vinage Roau H	giit-oi-way siiaii be tile i e	sponsibility
be measured parallel to the pavement edge.  F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be sloped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions	F		way with in the sethacks se	t by the Village The seth	ack shall
F. The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions	ь.		-	t by the vinage. The setb	ack shall
angles to the pavement except as topography may make angular placement necessary.  G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  1. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew; YES NO Diameter Length  Length	F			shall be at approximately	right
G. Driveway width is measured at the ditch line and is equal to the actual driveable width.  H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions	• •				1.8
H. Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be sloped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Length	G.				
pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular cover  I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions			-		hylene
its duly appointed agents and employees against any action for personal injury or property damage sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew; YES NO Diameter Length  Conditions		pipe meeting AASHTO M 294, Type 5			
sustained by reason of the issuance or exercise of this permit.  J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Length	I.	The permittee, his/her successors of	r assigns, agree to hold harm	iless the Village of Mt. Ca	lvary and
J. All new driveways are to be constructed to have permanently vegetated sloped sides, unless the road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Length				ersonal injury or proper	ty damage
road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be sloped at no more than a length to height ratio of 2.5:1 All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter  Length  Conditions		-	-		
the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1  All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.  Signature  Date  For Village Use Only  Culvert pipe required under drivew: YES NO Diameter Length  Conditions	J.				
All slopes shall be seed or sodded by the owner.  I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.    Date		,			
I, hereby certify that I have read the Owner's Covenant and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.    Date		•	• •	length to height ratio of	2.5:1
regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.    Date		All slopes shall be seed or sodded by	the owner.		
regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.    Date					
regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.    Date		I hereby certify that I have read the O	wner's Covenant and under	stand and agree to ahide	by the following special
Application.  Signature Date  For Village Use Only  Culvert pipe required under drivew; YES NO Diameter Length  Conditions				_	
For Village Use Only Culvert pipe required under drivew: YES NO Diameter Length Conditions	appl	-	TP TT TT		
For Village Use Only Culvert pipe required under drivew: YES NO Diameter Length Conditions	<b>C</b> :				ъ.
Culvert pipe required under drivew: YES NO Diameter Length Conditions	Signatur	re			Date
Culvert pipe required under drivew: YES NO Diameter Length Conditions					
Conditions					
	-		NO	Diameter	Length
				Da	te

### **Mailbox Size & Construction Standards**

A mailbox with the Postmaster General's (PMG) seal of approval meets USPS size and construction standards. If you build your own or buy a custom-made one, it must meet the PMG Standards. Show your local postamaster your mailbox plans or your custom-made box for approval.

#### Where to Place the Mailbox (Roadside/Curbside)

Here are some helpful guidelines to follow when placing your mailbox:

- Position your mailbox 41" to 45" from the road surface to the bottom of the mailbox or point of entry.
- Place your mailbox 6" to 8" back from the curb/ road edge.
- Put your house number on the mailbox.
- If your mailbox is on a different street from your house, put your full address on the mailbox.

#### **Installing the Mailbox Post**


The Federal Highway Admininstration recommends:

- A 4 x 4 wooden support or a 2" diameter standard steel or aluminum post
- Avoid unyielding and potentially dangerous supports like heavy metal pipes, concrete posts, and farm equipment (e.g.- milk cans filled with concrete)
- Bury your post no more than 24"

#### **Maintenance**

Mailboxes take a beating from the weather, so we recommend an annual mailbox checkup to avoid damage to your mail or difficultly identifying your address.

- Tighten loosen hinges on the door
- Take care of rusty or loosen parts
- Replace missing or fading house numbers
- Keep the path to your mailbox clear



**Footing** 

### Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042

**Residential Permit Application** Additions- Remodels- General Repairs Building Electrical Plumbing ( **HVAC** Permit # Location Date **Owner** Address City Zip **Email** Parcel # Zoning \_\_\_\_\_ Contractor City Zip Phone **Email** License # Contact Person **Project Description** Description of Project \_\_\_\_\_ Cost \$ Sq. Ft of Project Project Type Fee Schedule Additions-All Inclusive\* 350.00 Remodel-All Inclusive\*-Cost=>\$10,000 \$ 300.00 Remodel-All Inclusive\*-Cost<\$10,000 200.00 Make Check Payable to: Deck-All Inclusive\* 250.00 Village of Mt. Calvary Attached Garage-All Inclusive\* 350.00 Basement Remodel/Elec/Plum-All Inclusive\* 300.00 Electrical: Service (Overhead / Underground) **Return Application and Check to:** 100.00 **General Wiring** 100.00 Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 HVAC Furnace/ A-C Change 100.00 100.00 Kiel, WI 53042 Plumbing Siding/Windows/Roof 50.00 100.00 Permanent Pool-All Inclusive\* For Inspections Call: \$ 150.00 Egress Window 100.00 Witkowski Inspection Agency, LLc Brian Witkowski Misc. Permit/ General Repair 100.00 Accessory Garage/Structure >200 Sq. ft. 150.00 Office: 920-286-6133 Accessory Garage/Structure < 200 Sq. ft. Cell: 920-912-0832 50.00 Sign Permit + Zoning Fee \$ 50.00 Sidewalk/ Driveway/ Culvert Permit Fee 50.00 All Inclusive\*- Footing, Foundation, Construction Electrical, Plumbing, HVAC, Insulation, and Final Inspections **Total** Culvert Specs: 24' min- 32' max 18" min Diameter - Must Be Galvanized

**Inspections Required** 

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042

lectrical Permit:	Company				Phone #	
	New Service	ОН	UG		_	-
	Service Change	ОН	UG	OH to UG		
	All Services	Volts/ Amps				
		Number of M	eters	<del></del>		
		Service Utility	У			
		Phase				
	Remodel	Location of S	evice			
	Outbuilding					
	Alternative Energy Installation					
ignature of						
icenced Electrician				License #		
umbing Permit:	Company				Phone #	-
	_Floor Drains		Sump Pun	np		Sinks
	_ Dishwasher	-	Hose Bibs	;		Lav's
	Showers		Water Sof	tner		Bath Tub
	C - 1 D' 1					TAT . (2)
	_Garbage Disposal		Other			Water Closets
O THE WISCONSIN STATU	Bar Connection  FALLATIONS AS PER WIS. PLUMBING  STE 145.06(1)(A), STATING THAT PLU	UMBING WORK MUS	Other  MATION ON T  ST BE PERFO	RMED BY A CONTRAC		Water Closets Laundry Box
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this posi- the Department or Municipal ecution and of installation of Posi- gnature of	Bar Connection  FALLATIONS AS PER WIS. PLUMBING  JTE 145.06(1)(A), STATING THAT PLI  plicant agrees to comply with the Wisconsin  ermit, understands that the issuance of the plity, certifies that all the information is accurate.	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied	TING	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this pother the Department or Municipalite ecution and of installation of P gnature of	Bar Connection  FALLATIONS AS PER WIS. PLUMBING  JTE 145.06(1)(A), STATING THAT PLI  plicant agrees to comply with the Wisconsin  ermit, understands that the issuance of the plity, certifies that all the information is accurate.	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied		<del></del>
THE WISCONSIN STATU ASTER PLUMBER. The apply with the conditions of this poster the Department or Municipalisecution and of installation of Paragrature of aster Plumber	Bar Connection  FALLATIONS AS PER WIS. PLUMBING  JTE 145.06(1)(A), STATING THAT PLI  plicant agrees to comply with the Wisconsin  ermit, understands that the issuance of the plity, certifies that all the information is accurate.	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied	TING	<del></del>
THE WISCONSIN STATU ASTER PLUMBER. The apply with the conditions of this poster the Department or Municipalisecution and of installation of Paragrature of aster Plumber	Bar Connection  FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLU plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the p ity, certifies that all the information is accura- Plumbing as herein described.	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied	License #	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this pot the Department or Municipal ecution and of installation of P gnature of aster Plumber	Bar Connection  FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLU plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the p ity, certifies that all the information is accura	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied for a permit for the	License # Phone # Vood Burner	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this potential the Department or Municipal ecution and of installation of Paragrature of laster Plumber	Bar Connection  FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLI plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the pity, certifies that all the information is accurable lumbing as herein described.  Company  New Furnace	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied or a permit for the Fireplace or W	License #  Phone #  Vood Burner of Equipment	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this pot the Department or Municipali ecution and of installation of P gnature of aster Plumber	Bar Connection  [FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLUP plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the pity, certifies that all the information is accurable lumbing as herein described.  [Plumbing as herein described.]  [Company	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied or a permit for the  Fireplace or W  Replacement	License #  Phone #  Vood Burner of Equipment	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this pot the Department or Municipal ecution and of installation of P gnature of aster Plumber	Bar Connection  FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLI plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the p ity, certifies that all the information is accura Plumbing as herein described.  Company  New Furnace  New Boiler  Unit Heater(s)	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied for a permit for the  Fireplace or W Replacement of	License #  Phone #  Vood Burner of Equipment	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this po the Department or Municipal ecution and of installation of P gnature of laster Plumber  VAC Permit	Bar Connection  FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLU plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the p ity, certifies that all the information is accura Plumbing as herein described.  Company  New Furnace  New Boiler  Unit Heater(s)  Roof Top Unit(s)	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied or a permit for the Fireplace or WReplacement ofAir ConditioniVentilation	License #  Phone #  Vood Burner of Equipment	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The app d with the conditions of this po the Department or Municipal ecution and of installation of P gnature of aster Plumber  VAC Permit	Bar Connection  FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLU plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the p ity, certifies that all the information is accura Plumbing as herein described.  Company  New Furnace  New Boiler  Unit Heater(s)  Roof Top Unit(s)	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied or a permit for the Fireplace or WReplacement ofAir ConditioniVentilation	License #  Phone #  Vood Burner of Equipment	<del></del>
O THE WISCONSIN STATU ASTER PLUMBER. The application of this point the Department or Municipality of the Department of Municipality of Paster Plumber  VAC Permit  escription of Work	Bar Connection  FALLATIONS AS PER WIS. PLUMBING JTE 145.06(1)(A), STATING THAT PLU plicant agrees to comply with the Wisconsin ermit, understands that the issuance of the p ity, certifies that all the information is accura Plumbing as herein described.  Company  New Furnace  New Boiler  Unit Heater(s)  Roof Top Unit(s)  Addition to existing system	UMBING WORK MUS Uniform Dwelling Code permit creates no legal	Other  AATION ON T  T BE PERFO  and other Mur  iability, express	RMED BY A CONTRAC nicipal Ordinances sed or implied or a permit for the Fireplace or WReplacement ofAir ConditioniVentilation	License #  Phone #  Vood Burner of Equipment	<del></del>

License #

Page 2

work will be done in strict compliance with the Wisconsin Heating/Cooling/Ventilation Code as in SPS 322.01 & 323.01

Signature of HVAC Contractor

#### **Cautionary Statement:**

101.65(lr) of the Wisconsin Statutes requires municipalities that enforce the Uniform Dwelling Code to provide an owner who applies for a building permit with a statement advising the owner that:

If the owner hires a contractor to perform work under the building permit and the contractor is not bonded or insured as required under s. 101.654 (2) (a), the following consequences might occur:

- (a) The owner may be held liable for any bodily injury to or death of others or for any damage to the property of others that arises out of the work performed under the building permit or that is caused by any negligence by the contractor that occurs in connection with the work performed under the building permit.
  - (b) The owner may not be able to collect from the contractor damages for any loss sustained by the owner because of a violation by the contractor of the one- and two- family dwelling code under the building permit or because of any bodily injury to or death of others or damage to the property of others that is caused by any negligence by the contractor that occurs in connection with the work performed under the building permit.

If this project is in a dwelling or child-occupied facility, built before 1978, and disturbs 6 sq. ft. or more of paint per room, 20 sq. ft. or more of exterior paint, or involves windows, then the requirements of ch. DHS 163 requiring Lead-Safe Renovation Training and Certification apply. Call (608) 261-6876 or go to the Wisconsin Department of Health Services' lead homepage for details of how to be in compliance.

ATCP 110 For consumer protection and Lien Waiver Law's.

I, hereby certify that I have read the Cautionary Statement and understand and agree to abide by the following special regulations and provisions of this permit and all applicable provisions and restrictions which are shown on this application.

Signature	Date

**Neighboring Property Owner/Owners** 

### Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042

Date

Note: It is the responsibility of the homeowner to know the location of their property lines and projects such as but not limited to: Fences; Garage Additions; Unattached Garages; Garden Shed; or other structures that are being placed on the property may need neighbor's signature and/or a board member's approval prior to ground being moved. Failure to have the proper signatures or fraudulent papers will result in termination of building permit and removal of all progress.

Village Board Trustee/President	Date
Please provide a drawing of the prop	osed project in the space below
Site Pl	an
	N
	<b>†</b>

# Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042 witkoinspections@gmail.com

New Home Construction Permit Application Manufactured Residential Homes

Location _					Permit #	
Owner _					Date	
Address _			City	State		Zip
Phone _				Email		
Parcel #					Zoning	
Contractor_						
Address _			City	State		Zip
Phone _				Email		
License #			(	Contact Person:		
Housing	O	'wo	Square	Pr	oject Descriptio	n:
Type _	Family Fa	mily	Footage		Cost \$	
L	Fee Schedule-	Manufactured	Home		Make Check I Village of Mt	•
Base Fee			\$200.00	Retu	rn Applicatio	n and Check to:
Electrical S	ervice		\$55.00	V	Vitkowski Inspcec	tion Agency, LLc
Electrical			\$110.00		632 Fremont Str	eet Suite 150
Plumbing			\$110.00		Kiel, WI	53042
Erosion Cor			\$100.00		T T	
Escrow	Returnable upo	n occupancy	\$800.00		For Inspect	
Village of M			\$100.00	7	Witkowski Inspect	= -
	Culvert-Road Access		\$50.00		Brian With	
Land Use Po		\$75.00	\$200.00		Office: 920-2 Cell: 920-9	
Fire Numbe	ı olgu	Total		<b>—</b>	Gell: 920-9	14-0034
Sanitary Per	Additional Per mit - Fond du Lac County-		Required		<mark>Culvert Specs</mark> : 24 min Diameter - M	.' min- 32' max lust Be Galvanized
		Insp	ections Requir	ed		
	Footing Foundation	Electrical Servic U-G Plumbing	_	Erosion Rough-I	n**	Insulation Final

# Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042 witkoinspections@gmail.com

	Electrical-	Plumbing- HVAC Per	mit Application	18	
Electrical Permit:	Company			Phone #	
	New Service	OH UG		_	
	Service Change	OH UG	OH to UG		
	All Services	Volts/ Amps			
		Number of Meters	·		
		Service Utility	·		
		Phase			
	Remodel	Location of Sevice			
	Outbuilding				
	Alternative Energy Install	ation			
Signature of Licenced Electrician			License #		
- Toomeou Erecti reium			Dicense ii		
lumbing Permit:	Company			Phone #	
	Floor Drains		Pump		Sinks
	Dishwasher	Hose	Bibs		Lav's
	Showers	Wate	r Softner		Bath Tub
	Garbage Disposal	Other	•		Water Closets
	Bar Connection	Other	•		Laundry Box
and with the conditions of ton the Department or Muni	ne applicant agrees to comply with this permit, understands that the is cipality, certifies that all the inforn n of Plumbing as herein described.	suance of the permit creates no leg	gal liability, expressed or i	mplied	
IVAC Permit	Company			Phone #	
	New Furnace			r Wood Burner	
	New Boiler			nt of Equipmen	t
	Unit Heater(s)		Air Condition		
	Roof Top Unit(s)				
	Addition to existing system		Other		
escription of Work Type of Fu					
= <del>-</del>				_	
	BTU Heat Losst (BTU Rating)		Output	_	Input
	hat all of the above information is o	correct and annlies for a normitte		ved and	
	ork will be done in accordance with				
vork will be done in strict o	compliance with the Wisconsin Hea				
Signature of			License #		

# Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042 witkoinspections@gmail.com

	Erosion (	Control Application		
Owner's N <u>ame</u>				
Address of Project				
City/ Village		State _	Zip	
Phone #		Email _		
Contractor's Name				
Address				
City/ Village		State _	Zip	
Phone #		Email		
Type of Erosion Control to be In	nstalled	Separate Site Plan Include	d Yes No	
Silt Fence	Bales	VegetationI	Erosion Mat	_
•	•	agree to comply with SPS 321.125 & ling code viewable at dsps.wi.gov/sb		
Signature of Homeown <u>er</u>			Date	
or				
Signature of Contractor		Ī	)ate	

# Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042 witkoinspections@gmail.com

Manufactured Home Required Checklist Items			
Village of Mt. Calvary Required Items			
Copy of Sanitary Permit			
Completed Wisconsin Uniform Building Permit- Online www.esla.wi.gov			
2 Sets of Building Plans showing all house dimensions			
Completed Energy Worksheet			
Completed Erosion Control Application			
Completed Site Plan showing all Erosion Control			
Culvert Permit if Applicable			
Read and Sign the Village of Mt. Calvary Permit Attachment			
Read and Sign the Conditions of Approval Sheet			
Site Plan for Village with all houses and garage dimensions			

# Village of Mt. Calvary

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042 witkoinspections@gmail.com

## Driveway/ Culvert Permit Application- Village Road

Type of Dr	iveway being applied for:					
	16' - 24' New Residential Driv	eway				
	Relocation of an Existing Drive	eway				
Location o	f Driveway you are applying for:					
1. Name of	the nearest intersection of Village, County, or State Roads					
2. Drivewa	y location is approximately ( Miles)		( N, E, S, W) of sa	id intersection		
3. Looking	both ways down the road, is vision clear for 600'( Feet)		Yes		_No	
4. This driv	reway will result in how many driveways serving this prop	erty?			_	
** Applica	nt shall place stakes in ditch line where he/she wants t	o place the driv	eway so the propo	osed location		
	may be inspected and approved by the Vi	lage or Designe	es.			
	Owner's (	Convenant				
A.	Any grading, special ditching, alteration of slope or any ot		• •			
	right-of-way shall be restored by and at the exspence of the such disturbance and to the satisfication of the Village Boa.			nt prior to		
B.	The entire cost of the driveway construction or installation	_		icant		
C.	Applicant shall keep driveway/ culvert free of debris and					
D.	along the road					
υ.	Maintenance and upkeep of driveway on or over Village Road right-of-way shall be the responsibility of the applicant					
E.	Applicant may not develop any driveway with-in the setbacks set by the Village. The setback shall					
	be measured parallel to the pavement edge.					
F.	The centerline of the driveway lying on the county right-of-way shall be at approximately right angles to the pavement except as topography may make angular placement necessary.					
G.	Driveway width is measured at the ditch line and is equal to the actual driveable width.					
H.	Culvert materials are restricted to: Corrugated Steel, Concrete, and/or Corrugated Polyethylene					
	pipe meeting AASHTO M 294, Type 5 Specifications, with a minimum of 12" inches of granular					
I.	cover The permittee his/her successors or assigns agree to hol	d harmless the V	illage of Mt Calvary	v and		
1.	I. The permittee, his/her successors or assigns, agree to hold harmless the Village of Mt. Calvary and its duly appointed agents and employees against any action for personal injury or property damage					
	sustained by reason of the issuance or exercise of this per					
J.	All new driveways are to be constructed to have permanently vegetated sloped sides, unless the					
	road/ street has curb and gutter. Such construction shall be accomplished using only soil materials. the side slopes of the driveway shall be slpped at no more than a length to height ratio of 2.5:1					
	All slopes shall be seed or sodded by the owner.	unan a rengan te	g	-		
	I, hereby certify that I have read the Owner's Covenant an regulations and provisions of this permit and all applical			٠.	al	
applic		•				
Signature				Date		
	For Village	Use Only				
	e required under driveway YES NO		Diameter	Length		
Conditions Permit App			Date	<u> </u>		

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042 witkoinspections@gmail.com

#### **Mailbox Size & Construction Standards**

A mailbox with the Postmaster General's (PMG) seal of approval meets USPS size and construction standards. If you build your own or buy a custom-made one, it must meet the PMG Standards. Show your local postamaster your mailbox plans or your custom-made box for approval.

#### Where to Place the Mailbox (Roadside/Curbside)

Here are some helpful guidelines to follow when placing your mailbox:

- Position your mailbox 41" to 45" from the road surface to the bottom of the mailbox or point of entry.
- Place your mailbox 6" to 8" back from the curb/ road edge.
- Put your house number on the mailbox.
- If your mailbox is on a different street from your house, put your full address on the mailbox.

#### **Installing the Mailbox Post**


The Federal Highway Admininstration recommends:

- A 4 x 4 wooden support or a 2" diameter standard steel or aluminum post
- Avoid unyielding and potentially dangerous supports like heavy metal pipes, concrete posts, and farm equipment (e.g.- milk cans filled with concrete)
- Bury your post no more than 24"

#### **Maintenance**

Mailboxes take a beating from the weather, so we recommend an annual mailbox checkup to avoid damage to your mail or difficultly identifying your address.

- Tighten loosen hinges on the door
- Take care of rusty or loosen parts
- Replace missing or fading house numbers
- Keep the path to your mailbox clear



	Buil	ding Pe	ermit A	pplic	cation		
	New	Commerci	al- Additio	ns- Alte	erations		
Location						Permit #	
Owner						Date	
Address				City	-	Zip	
Phone				Email		· · · · · · · · · · · · · · · · · · ·	
Parcel #						Zoning	
Contractor							
Address				City		Zip	
Phone				Email			
License #				Contact	Person		
		Dunia et Da				1	
Description of Project		Project De	escription			Duningt Coat ¢	
Description of Project				•		Project Cost \$	
						SQ Footage of Proje	
						Cu. Footage of Proj	ect
Build	ling Permit Fee S	Schedule					
	Project Cost						
\$4 per \$1000 of project cost		x \$4/5		th.	200.00	Malaa	Chaala Darrahla Ta
Base Fee Additional Fees if Appli	cable	\$	200.00	\$	200.00		Check Payable To: age of Mt. Calvary
	er final inspection	\$	300.00				age or ria curvary
Driveway Permit/Access Permit:	If Applicable	\$	25.00			Return App	olication and Check To:
Fire Number Sign:	If Applicable	\$	75.00				i Inspection Agency, LLc
Land Use Permit Fee Additional Power/ Heating Source: S	olar: Coothormal: Wind	\$ X.0	100.00				mont Street Suite 105 Kiel, WI 53042
Additional Tower/ Heating Source.	olar, deothermal, willu	\$	200.00				Mei, Wi 33042
		•				For	Inspections Call:
							i Inspection Agency, LLc
		ТОТ	AL:				rian Witkowski
						ce: 920-286-6133 ll: 920-912-0832	
Size of Building					Ge	,10 ,11 0001	
Width:	Length:	Height:					
						Inch	ections Required
Setbacks from Property Lines					ilispe	Footings	
Center of Road: Rear: ft Side:ft.		Side:ft.			Foundation		
					Electrical Service		
Additional Permits May be Required					U-G Plumbing		
Fond du Lac Sanitary: Dan 920-929-3139				Erosion Control  Rough-In**			
IT IS THE OWNERS/ APPLICANT'S RESPONSIBILTY TO KNOW WHERE THE PROPERY LINES ARE!!					Insulation		
							Final
							Misc./ Additonal

Witkowski Inspection Agency, LLc 632 Fremont Street Suite 105 Kiel, WI 53042

### **Electrical - Plumbing - HVAC Permit Application**

Electrical Permit	Company				Phone #	
		New Service	ОН	UG		
		Service Change	ОН	UG	OH to UG	
		All Services	Volts/ Amps			
			Number of Meters			
			Service Utility	1	3	
			Thase			
		Remodel Outbuilding	Location of Service:			
		Alternative Energy	Installation			
Signature of Elect	rician				License #	
Plumbing Permit	Company			Phone #		
		Floor Drains		Sump Pump	Sinks	
-		Dishwashers		Hose Bibs	Lav's	
		Showers		Water Softners	Bath Tub	
,		Garbage Disposal		Other	Water Closet	
		Bar Connections		Other	Laundry Box	(
legal liability, expressed of execuation and of installar Signature of Master Plumber	ation of Plumbing as he	erein described.	ertifies that all the informat		lersigned hereby applies for a permit fo	r the
HVAC Permit	Company				Phone #	
		New Furnace			Firenlace or	Wood Burner
-		New Boiler		-		t of Equipment
-		Unit Heater(s)		_	Air Condition	
		Roof Top Unit(s)		_	Ventilation	
		Additional to existing	ng system	-	Other	
Description of Wor	k					
-	Type of Fuel					
	Calculated BTU H					
	Size of Unit (BTU			Output	Input	
will be done in accorda	ance with the descrit		d it is further agreed that		ve described and hereby agrees tha ne in strict compliance with the Wis	
Signature of HVAC Contractor				1	License #	

#### **Cautionary Statement**

101.65(Ir) of the Wisconsin Statutes requires municipalities that enforce the Uniform Dwelling

Code to provide an owner who applies for a building permit with a statement advising the

owner that:

If the owner hires a contractor to perform work under the building permit and the contractor is not bonded or insured as required under s. 101.654 (2) (a), the following consequences might occur:

- (a) The owner may be held liable for any bodily injury to or death of others or for any damage to the property of others that arises out of the work performed under the building permit or that is caused by any negligence by the contractor that occurs in connection with the work performed under the building permit.
- (b) The owner may not be able to collect from the contractor damages for any loss sustained by the owner because of a violation by the contractor of the one- and two- family dwelling code under the building permit or because of any bodily injury to or death of others or damage to the property of others that is caused by any negligence by the contractor that occurs in connection with the work performed under the building permit.

If this project is in a dwelling or child-occupied facility, built before 1978, and disturbs 6 sq. ft. or more of paint per room, 20 sq. ft. or more of exterior paint, or involves windows, then the requirements of ch. DHS 163 requiring Lead-Safe Renovation Training and Certification apply. Call (608) 261-6876 or go to the Wisconsin Department of Health Services' lead homepage for details of how to be in compliance.

ATCP 110 For consumer protection and Lien Waiver Law's.

(c) All construction waste & material must be disposed of properly. The resident or contractor will contract for their own dumpster for storing and final removal of all building debris materials including but not limited to roofing tare off, siding, drywall, ect... Construction waste & materials are not allowed at Town Dumpsite.

ignature	Date